

L Number	Hits	Search Text	DB	Time stamp
1	2	((self adj repair)or(BISR)) and memory) and ((busy with (signal or mode)))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 10:31
2	529	((repair)or(BISR)) and memory) and ((busy with (signal or mode)))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 10:31
3	529	((repair)) and memory) and ((busy with (signal or mode)))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 10:32
4	55	((repair)) with memory) and ((busy with (signal or mode)))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 10:32
5	55	(repair with memory) and (busy with (signal or mode))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 10:33
-	1	5748543.pn.	USPAT; US-PGPUB; IBM_TDB	2004/04/29 10:31
-	232	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)	USPAT; US-PGPUB; IBM_TDB	2004/05/03 08:53
-	187	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)) and @ad<20011025	USPAT; US-PGPUB; IBM_TDB	2004/04/29 10:35
-	112	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)) and @ad<20011025) and (asic or (\$5processor))	USPAT; US-PGPUB; IBM_TDB	2004/04/29 12:12
-	75	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)) and @ad<20011025) and (not (((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)) and @ad<20011025) and (asic or (\$5processor))))	USPAT; US-PGPUB; IBM_TDB	2004/04/29 11:51
-	26	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)) and parity	USPAT; US-PGPUB; IBM_TDB	2004/04/29 12:23
-	134	memory with (bistr or (self adj repair))	USPAT; US-PGPUB; IBM_TDB	2004/04/29 12:23
-	110	(memory with (bistr or (self adj repair))) and (ecc or error or parity or fault)	USPAT; US-PGPUB; IBM_TDB	2004/04/29 12:24
-	46	((memory with (bistr or (self adj repair))) and (ecc or error or parity or fault)) and (not bistr)	USPAT; US-PGPUB; IBM_TDB	2004/04/29 13:03
-	7779	@ad<20011025 and (data with (check with bit))	USPAT; US-PGPUB; IBM_TDB	2004/04/29 13:04
-	6521	((@ad<20011025 and (data with (check with bit))) and memory	USPAT; US-PGPUB; IBM_TDB	2004/04/29 13:04
-	389	((@ad<20011025 and (data with (check with bit))) and memory) and repair	USPAT; US-PGPUB; IBM_TDB	2004/04/29 13:05
-	389	((@ad<20011025 and (data with (check with bit))) and memory) and repair) and (cell or line or bit or column or row)	USPAT; US-PGPUB; IBM_TDB	2004/04/29 14:31
-	84	bistr and @ad<20011025	USPAT; US-PGPUB; IBM_TDB	2004/04/29 14:31
-	32	(bistr and @ad<20011025) and \$5processor	USPAT; US-PGPUB; IBM_TDB	2004/04/29 14:32
-	17	((bistr and @ad<20011025) and \$5processor) and(dram)	USPAT; US-PGPUB; IBM_TDB	2004/04/29 15:12
-	1099	barth.in.	USPAT; US-PGPUB; IBM_TDB	2004/04/29 15:12

-	24	barth.in. and ibm	USPAT; US-PGPUB; IBM_TDB	2004/04/29 15:13
-	139	ellis.in. and ibm	USPAT; US-PGPUB; IBM_TDB	2004/04/29 15:14
-	9	(ellis.in. and ibm) and jericho	USPAT; US-PGPUB; IBM_TDB	2004/04/29 15:14
-	25	fifield.in. and ibm	USPAT; US-PGPUB; IBM_TDB	2004/04/29 15:16
-	8716	matsumoto.in.	USPAT; US-PGPUB; IBM_TDB	2004/04/29 15:16
-	10	matsumoto-miki.in.	USPAT; US-PGPUB; IBM_TDB	2004/04/29 15:46
-	1	10/035,474	USPAT; US-PGPUB; IBM_TDB	2004/04/29 16:34
-	2	((("5278839" or "4918692" or "5748543").pn.) and dram	USPAT; US-PGPUB; IBM_TDB	2004/05/03 08:39
-	3	("5278839" or "4918692" or "5748543").pn.	USPAT; US-PGPUB; IBM_TDB	2004/04/29 17:11
-	1	6691252.pn.	USPAT; US-PGPUB; IBM_TDB	2004/04/29 17:11
-	10	("6304989" or "5748543" or "5278839" or "4918692" or "6691252" or "6415403" or "4464747" or "6697290" or "6519735" or "5450424").pn.	USPAT; US-PGPUB; IBM_TDB	2004/05/03 08:42
-	0	((("6304989" or "5748543" or "5278839" or "4918692" or "6691252" or "6415403" or "4464747" or "6697290" or "6519735" or "5450424").pn.) and busy	USPAT; US-PGPUB; IBM_TDB	2004/05/03 08:42
-	0	((("6304989" or "5748543" or "5278839" or "4918692" or "6691252" or "6415403" or "4464747" or "6697290" or "6519735" or "5450424").pn.) and normal with mode	USPAT; US-PGPUB; IBM_TDB	2004/05/03 08:43
-	0	((("6304989" or "5748543" or "5278839" or "4918692" or "6691252" or "6415403" or "4464747" or "6697290" or "6519735" or "5450424").pn.) and (normal with mode)	USPAT; US-PGPUB; IBM_TDB	2004/05/03 08:43
-	7	((("6304989" or "5748543" or "5278839" or "4918692" or "6691252" or "6415403" or "4464747" or "6697290" or "6519735" or "5450424").pn.) and (normal	USPAT; US-PGPUB; IBM_TDB	2004/05/03 08:43
-	37	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((normal with mode) or (busy with operation))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 09:17
-	112	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((normal with (operation or mode)))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 09:02
-	2	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((busy with (signal or mode)))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 09:03
-	1	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((log\$4 with (error or fault))) and (busy with (signal or mode))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 09:05
-	77	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((log\$4 with (error or fault)))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 09:17
-	6	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((log with (error or fault)))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 09:05
-	295	((self adj repair)or(BISR)) and memory	USPAT; US-PGPUB; IBM_TDB	2004/05/03 09:17

-	2	(((self adj repair)or(BISR)) and memory) and (busy with (signal or mode))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 09:19
-	130	(((self adj repair)or(BISR)) and memory) and ((busy with (signal or mode)) or (normal with (mode or operation)))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 09:20
-	3	(((self adj repair)or(BISR)) and memory) and ((busy with (signal or mode)) or (detect with (normal with (mode or operation))))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 09:20
-	8	(((self adj repair)or(BISR)) and memory) and ((busy with (signal or mode)) or (detect\$3 with (normal with (mode or operation))))	USPAT; US-PGPUB; IBM_TDB	2004/05/03 10:30